4. Description of a New Tanager of the genus Euphonia. By Philip Lutley Sclater, M.A., F.L.S. etc.

(Aves, Pl. CXXIV.)

Mr. Gould having placed in my hands for examination some specimens of *Euphonia*, which he has lately received from Guatemala, I am enabled to exhibit to the Society examples of both sexes of what I believe to be a hitherto uncharacterized species of that genus. I am no friend to the too frequent practice of calling animals after individuals, but I feel that I shall meet with approbation in this instance if I confer on the present bird the name of one of the most eminent naturalists of the day, to whom moreover I am indebted for numerous acts of kindness from the period when I first had the pleasure of his acquaintance. I therefore propose to call this species

EUPHONIA GOULDI.

3. Supra olivacea, æneo induta: pileo usque ad oculos cum fronte flavis: subtus, gula et cervice flavescenti-olivaceis, abdomine medialiter castaneo, hoc colore flavo utrinque marginato; lateribus olivaceis flavo mixtis: crisso castaneo: rostro et pedibus nigris.

Q. Supra mari similis sed dilutior, fronte et pileo antico rubris : subtus flavescens, abdomine medio cum crisso dilute castaneis,

lateribus flavido-olivaceis.

Long. tota 4·1, alæ 2·2, caudæ 1·0, tarsi 0·7. Hab. In Guatimala et Mexico Meridionali.

Gould's Euphonia does not sufficiently resemble any other of the known members of the group to render it liable to be confounded with them. It may, I think, be most naturally placed at the head of the section containing Euphonia pectoralis, E. rufiventris and others (which has been denominated Iliolopha by Prince Bonaparte), and will serve to connect them with the yellow-headed species which precede them in my arrangement. I have suspected its existence for some time, but these examples are the first good ones I have seen of it. I have had for several years in my possession a bird which I now find to be an immature individual of this species; and M. Sallé's collection comprised a single specimen not in very good condition, which he obtained in Southern Mexico. I gave a short description of the latter bird without naming it in my list of his collection (see P. Z. S. 1856, p. 303), but was mistaken (as I now see) in considering it a female.

This Euphonia is the fourth additional Tanager I have met with since completing the synopsis of these birds given in the Proceedings for last year; the others being Calliste rufigena (P. Z. S. 1856, p. 311), Saltator melanopterus (Pr. Ac. Sc. Phil. viii. p. 361), and Pyranga roseigularis (P. Z. S. 1857, p. 6). The latter bird was long ago described by Dr. Cabot, but at the time of completing my

synopsis I had not seen specimens of it.